



SlideMaster®
Telescoping Cargo Handler

* Note: \$20 Additional for Each 10" In Width Exceeding 40".

* All Units Shown With Optional Tray

**Aluminum
2-Rail
Single Direction
70% Extension**

	Model	Length	With No Deck	With Wood Deck	With Alum. Deck	Deck Height
	M2 Standard Profile 1000 LB.	15 - 24"	328	388	476	2 7/8"
		25 - 36"	379	440	572	
		37 - 48"	446	506	690	
		49 - 60"	508	572	802	
		61 - 72"	573	638	918	
		73 - 84"	640	689	1066	
		85 - 96"	705	769	1138	
	M2-HD Heavy Duty 1500 LB.	15 - 24"	430	486	585	4 1/4"
		25 - 36"	482	540	670	
		37 - 48"	527	582	739	
		49 - 60"	580	633	837	
		61 - 72"	635	684	937	
		73 - 84"	686	736	1085	
		85 - 96"	746	793	1197	


Pricing on all steel units is for the slide only. Steel units come primed and spray painted.

For Deck & Powder costing pricing see the bottom of this page.

**Steel
2-Rail
Single Direction
70% Extension**


	Model	Length (Inches)	Price	Deck Height
	SM2-LP Low Profile 300 LB.	15 - 24"	175	2 3/8"
		25 - 36"	235	
		37 - 48"	260	
	SM2-MP Mid Profile 600 LB.	15 - 24"	325	2 7/8"
		25 - 36"	345	
		37 - 48"	375	
		49 - 60"	445	
	SM2-SP Standard Profile 1000 LB.	15 - 24"	294	2 7/8"
		25 - 36"	328	
		37 - 48"	377	
		49 - 60"	421	
		61 - 72"	469	
		73 - 84"	512	
	SM2-HD Heavy Duty 2000 LB.	85 - 96"	560	4"
		15 - 24"	433	
		25 - 36"	471	
37 - 48"		517		
49 - 60"		565		
61 - 72"		608		
73 - 84"		657		
85 - 96"	705			
	97 - 108"	763		

**Aluminum
3-Rail
Single Direction
100% Extension**




Model	Length	With No Deck	With Wood Deck	With Alum. Deck	Deck Height
M3 Standard Profile 1000 LB.	15 - 24"	559	624	717	3 1/2"
	25 - 36"	622	685	841	
	37 - 48"	685	750	892	
	49 - 60"	748	809	1018	
	61 - 72"	801	871	1134	
	73 - 84"	869	934	1241	
	85 - 96"	932	997	1299	

**Steel
3-Rail
Single Direction
100% Extension**





Model	Length (Inches)	Price	Deck Height
SM3-LP Low Profile 300 LB.	15 - 24"	321	2 3/4"
	25 - 36"	341	
	37 - 48"	367	
SM3-MP Mid Profile 600 LB.	15 - 24"	387	3 1/4"
	25 - 36"	421	
	37 - 48"	468	
SM3-SP Standard Profile 1000 LB.	49 - 60"	512	3 7/8"
	15 - 24"	385	
	25 - 36"	432	
	37 - 48"	475	
	49 - 60"	531	
	61 - 72"	611	
SM3-HD Heavy Duty 2000 LB.	73 - 84"	655	4 1/4"
	85 - 96"	714	
	15 - 24"	516	
	25 - 36"	570	
	37 - 48"	622	
	49 - 60"	687	
	61 - 72"	736	
SM3-HD + Heavy Duty Plus 2500 LB.	73 - 84"	785	4 1/4"
	85 - 96"	852	
	97 - 108"	917	
	49 - 60"	1079	
	61 - 72"	1137	4 1/4"
	73 - 84"	1186	
	85 - 96"	1210	

**Steel
3-Rail
Single Direction
120% Extension**





Model	Length (Inches)	Price	Deck Height
SMEX 700 LB.	25 - 36"	520	3 7/8"
	37 - 48"	586	
	49 - 60"	650	
	61 - 72"	735	
	73 - 84"	779	
	85 - 96"	848	


**Aluminum
2-Rail
Dual Direction**

		Model	Length	With No Deck	With Wood Deck	With Alum. Deck	Deck Height
	M2D Standard Profile 1000 LB.		15 - 24"	340	405	501	2 7/8"
			25 - 36"	415	479	628	
			37 - 48"	477	542	742	
			49 - 60"	540	605	858	
			61 - 72"	603	668	975	
			73 - 84"	667	729	1088	
			85 - 96"	727	791	1194	
	M2HD-D Heavy Duty 1500 LB.		15 - 24"	439	504	598	4 1/4"
			25 - 36"	494	558	705	
			37 - 48"	548	611	811	
			49 - 60"	608	664	919	
			61 - 72"	653	718	1025	
			73 - 84"	709	772	1129	
			85 - 96"	768	883	1237	


**Steel
2-Rail
Dual Direction**

		Model	Length (Inches)	Price	Deck Height
	SM2-D Standard Profile 1000 LB.		25 - 36"	340	3 3/8"
			37 - 48"	378	
			49 - 60"	422	
			61 - 72"	471	
			73 - 84"	522	
			85 - 96"	572	
			97 - 108"	N/A	
	SM2-D-HD Heavy Duty 2000 LB.		25 - 36"	477	3 7/8"
			37 - 48"	526	
			49 - 60"	573	
			61 - 72"	621	
			73 - 84"	678	
			85 - 96"	728	
			97 - 108"	791	


**Aluminum
Tip-Down**

		Model	Length (Inches)	Price (Full Unit)	Deck Height
	MT Full Unit 200 LB.		11 - 36"	270	5 1/2"
			37 - 45"	302	
			46" +	N/A	


**Aluminum
Tip-Down**

		Model	Length (Inches)	Price (Rails Only)	Deck Height
	MT-R Rails Only 200 LB.		11 - 36"	229	5 1/2"
			37 - 45"	240	
			46" +	N/A	


**Steel
Tip-Down**

		Model	Length (Inches)	Price (Full Unit)	Deck Height
	SMT Full Unit 250 LB.		9 - 36"	301	2 5/8"
			37 - 45"	326	
			46 - 60"	356	


**Steel
Tip-Down**

		Model	Length (Inches)	Price (Rails Only)	Deck Height
	SMT-R Rails Only 250 LB.		9 - 36"	247	2 5/8"
			37 - 45"	269	
			46 - 60"	301	


**Steel Tool Board
Single Direction
70% Extension**

	Model	Width (Inches)	Deck Height
	SM2-LP T.B. See LP for Length and Price	With Feet – 7 5/16”	2 3/8”
	SM2-MP T.B. See MP for Length and Price	With Feet – 8 9/16” No Feet – 4 9/16”	2 7/8”


**Steel Tool Board
Single Direction
100% Extension**

	Model	Width (Inches)	Deck Height
	SM3-LP T.B. See LP for Length and Price	With Feet – 8 1/4” No Feet – 4 1/4”	2 3/4”
	SM3-MP T.B. See MP for Length and Price	With Feet – 11 11/16” No Feet – 7 11/16”	3 1/4”


**Steel Tool Board
Dual Direction**

	Model	Width (Inches)	Deck Height
	SM2-D T.B. See Dual Direction For Length and Price	With Feet – 9 1/2” No Feet – 5 1/2”	3 3/8”

**Steel
Stow Ramp**

	Model	Length (Inches)	Price
	Stow Ramp	60 - 72”	997
		73 - 84”	1050
		85 - 96”	1104

**Aluminum
C to C**

	Model	Length (Inches)	Price
	C to C 250 LB.	15 - 24”	266
		25 - 36”	291
		37 - 48”	335

OPTIONS / GENERAL INFORMATION

Notes and Limitations:

- (1) \$20 additional for each 10” width exceeding 40” except for (2) below.
- (2) For aluminum C to C and Tip Down: \$20 additions for each 10” exceeding 35”.
- (3) Spring Lock (HSL) available on Mid-Profile, Standard-Profile and HD Aluminum Only.
- (4) Minimum length for a Spring Lock: 3-Rail is 17 1/2”; 2-Rail is 16”
- (5) Minimum width for a Spring Lock *with feet* is 20” and *no feet* is 16”
- (6) Minimum width for Heavy Duty Spring Lock *with feet* is 28” and *no feet* is 24”.
- (7) Guide Bearing for Steel 2-Rail and 3-Rail MP, SP and HD Units Only.

Spring Lock (HSL) (Steel or Aluminum) Note (3) (4) (5) (6)	2-Rail Unit	3-Rail Unit
	\$35	\$65

Powder Coating (Steel Only)	Length (Longest Dimension)	2-Rail Unit	3-Rail Unit
	0 - 48”	\$39	\$54
	49 - 60”	\$45	\$63
	61 - 72”	\$51	\$71
	73 - 84”	\$57	\$81
	85 - 96”	\$63	\$89
	97 - 108”	\$69	\$98

For 109” or more, call for price.
Please add 14 days so the fabricating process for the powder coating option.

Toolboard Top Guides
15 - 48” - \$90 49 - 96” - \$127

Tray (Steel Only, Call for widths greater than 42”	Length (Longest Dimension)	Wood Deck	Alum. Deck 1/8”	Alum. Deck 3/16”
	9 - 24”	\$99	\$149	\$180
	25 - 36”	\$110	\$176	\$223
	37 - 48”	\$120	\$214	\$269
	49 - 60”	\$138	\$296	\$369
	61 - 72”	\$145	\$324	\$405
	73 - 84”	\$153	\$361	\$462
	85 - 96”	\$161	\$392	\$507
97 - 108”	\$178	\$426	\$555	

Electric Drive All Alum. Only SP and HD Steel Units	Motor drive with manual switch	\$464
	Infrared remote - single direction	\$149
	Infrared remote - dual direction	\$225

Guide Bearings
For units with widths two times the length: \$53